


DATASHEET

CIJECT SC3



KEY FEATURES

- Designed to dispense and spray silicone at a mixed ratio of 10:1.
- Suitable for dispensing and spraying tin cure silicone systems.
- Highly accurate positive displacement piston pumps providing consistent and efficient output.
- Three precision pumps dispensing through the unique mix-head.
- Mix-head can be used to simply dispense mixed material or spray with an air-assist spray nozzle.
- Integral mounted silicone material tanks.

MACHINE SILICONE SYSTEMS

All versions include a corresponding spares kit.

Standard Options	Description	Product Number
SC3 Silicone Spray Machine	Designed to dispense/spray tin cure silicone systems with a 10:1 mixed ratio.	SC3000 + SK

MACHINE ANCILLARIES/RELATED PRODUCTS

Related Products	Description	Product Number
Silicone SC20 A & B	3 minute gel time. Sold in 50 kg kits.	SC00301
Mixer Tube	For silicone mix-head. Spare component for servicing and maintenance.	SC00268
Spray Tip	For silicone mix-head. Spare component for servicing and maintenance.	SC00263
Quick Coupler	For silicone mix-head. Spare component for servicing and maintenance.	SC00264

TECHNICAL SPECIFICATION

General	
Product Dimensions	L: 0.74 m x W: 0.58 m x H: 0.67 m
Product Weight	40 kg
Maximum Shipping Weight	65 kg
Nominal Service	1 calendar year
Design Life	10 years

Operating Conditions	
Maximum Silicone Temperature	50°C
Operating Temperature	0 — 45°C
Storage Temperature	0 — 60°C
Humidity	20 — 75% non-condensing
Noise Output	< 70 dB

Power Requirements	
Electrical Supply	N/A
Supply Fusing Required	N/A
Internal Fuses	N/A
Air Supply Standard	6 bar 600 L/min — dry, non-lubricated
Air Supply Limits	6 bar

TECHNICAL SPECIFICATION (continued)

Mechanical	
Maximum Material Viscosity	2,500 cPs *for material viscosity above this contact Composite Integration
Mixed Ratio	10:1
Material Tank Size	2 x 25 L and 1 x 5 L
Control	Pneumatic with pump speed and spray atomiser control
Pump Configuration	2 x 100cc/stroke (fixed) and 1 x 20cc/stroke (fixed)
Mix-Head Type	Pneumatically actuated head valves with static mixer
Spray Head Type	Removable air assist spray nozzle
Hose Length	4 m